

# Fuels and Fire Behavior Digital Dictionary

The Fire Behavior Assessment Team

Lion Fire  
Plot 5

7/18/2011  
Region 5/Sequoia NF



Plot 5, 0-50 ft, Pre



Plot 5, 0-50 ft, Post

## Fuels, Topography, Weather

Site Info	
Veg Type	Ponderosa pine
Slope (%)	27
Aspect (deg)	352
Elev (ft)	~7,000?

Climatic Variables	
Fire Arrival (Date, Time)	7/18/11
Burn End (Date, Time)	7/18/11
20ft Wind, 10min avg/gusts (mph)	7/16
Onsite wind, eyelevel (10 sec mean) (mph)	n/a
Wind direction (azimuth)	151
RH (%)	14
Temp (F)	72
ERC/BI	35/34
Drought Index	n/a
Live FM% (Herb/Woody)	192/199
Dead FM% (1/10/100/1000hr)	5/10/15/16

Fuel Model (low/high)
181/161

Surface Fuels - Pre	Tons/ac
1-hour	0.4
10-hour	1.1
100-hour	0.5
1000-hour	0
Litter	2.8
Duff	5.3
Total Fuels	10.1

Understory Veg.	Tons/ac
Live/Dead Shrub	1.69 / 1.11
Live/Dead Herbaceous	<0.01

Canopy & Stand	
Canopy Bulk Density (kg/m <sup>3</sup> )	0.03
Canopy Base Height (ft)	11
Basal Area (ft <sup>2</sup> /ac)	138
Overstory Trees/ac	76

### Climatic Variable Details

Weather and fuel moisture taken from Peppermint RAWS on 7/18/11 at 1300 hrs using NFDRS2016. ERC and BI are scores, not percentiles.

### Site History:

## Fire Behavior

Fire Behavior	
Primary Fire Type	No data
Secondary Fire Type	No data
ROS - sensor source (ch/hr) (min/max/avg.)	No data
ROS - video interp. (ch/hr) (min/max/avg.)	No data
Flame Length (ft) (min/max)	No data
Direction Fire Spread is going (azimuth)	No data

Fire Video	Description
	No video obtained


Fire management actions affecting plot:

## Fire Effects

Fire Severity	
Substrate Score (1-5)	4.1
Understory Veg Score (1-5)	4.2
Avg % tree canopy scorch	10
Avg % tree canopy torch	0
Avg tree bole char (ft)	n/a

Fuel Consumption	%
1-hour	91
10-hour	75
100-hour	0
1000-hour	n/a
Litter	100
Duff	90

Severity category definitions: 1= unburned, 2=low, 3=moderate, 4=high, 5=very high



Lion Fire, Plot 5, 2011

# About the Fire Behavior Assessment Team (FBAT)

## Abstract

Despite the scope of the US wildfire problem, capabilities for monitoring active wildfires to answer pressing questions about fire behavior and personnel safety are severely limited. The **Fire Behavior Assessment Team (FBAT)** is the only team currently collecting [applied science data on active wildfires](#). FBAT functions in collaboration with land managers and interested research groups. In coordination with incident management, sites are placed opportunistically ahead of the fire accounting for current and expected fire behavior, safe access, and fire management tactics.

FBAT can collect standard weather, fire behavior and fire severity observations as well as set up dataloggers which store wind speed, direction, temperature and RH. FBAT can also take plot data which includes:

- Heat resistant fire behavior equipment left on-site (video camera, 5-foot anemometer, sensor array for rate of spread/temperature profile through time, heat flux sensor).
- Fuels data collected on canopy, surface and ground fuels before and after the fire, and fire severity assessment post-fire. Fuel moisture data is often collected prior to the fire.

More information about methods and data can be found on the FBAT website:

<https://www.frames.gov/fbat/home>

The report for this fire which includes field methods and other background can be found at:

[https://www.fs.fed.us/adaptivemanagement/reports/fbat/Lion\\_Fire\\_Fuels\\_report\\_092011\\_draft2\\_standard.pdf](https://www.fs.fed.us/adaptivemanagement/reports/fbat/Lion_Fire_Fuels_report_092011_draft2_standard.pdf)