Fuels and Fire Behavior Digital Dictionary

The Fire Behavior Assessment Team

Rough Fire Plot 2

8/18/2015 Region5/Sierra and Sequoia NF



Transect 1, Pre, 0-50 ft



Transect 1, Post, 0-50 ft



Transect 1, Pre, 50-0 ft



Transect 1, Post, 50-0 ft



Transect 2, Pre, 0-50 ft



Transect 2, Post, 0-50 ft



Transect 2, Pre, 50-0 ft



Transect 2, Post, 50-0 ft

Fuels, Topography, Weather

Site Info	
Veg Type	Mixed conifer
Slope (%)	13
Aspect (deg)	162
Elev (ft)	6118

Climatic Variables	
Fire Arrival (Date, Time)	8/18/15, 13:30
Burn End (Date, Time)	8/18/15, 14:33+
20ft Wind, 10min avg/gusts (mph)	7/18
Onsite wind, eyelevel (20min avg) (mph)	0.5 (5.0 peak)
Wind direction (azimuth)	252
RH (%)	16
Temp (F)	89
ERC/BI	60/73
Drought Index	n/a
Live FM% (Herb/Woody)	113/134
Dead FM% (1/10/100/1000hr)	5/9/10/11

Fuel Model (low/high) 161/142

Surface Fuels - Pre	Tons/ac
1-hour	0.1
10-hour	0.5
100-hour	2.6
1000-hour	23.2
Litter	12.8
Duff	12.8
Total Fuels	52.0

Understory Veg.	Tons/ac
Live/Dead Shrub	4.754/1.141
Live/Dead Herbaceous	0

Canopy & Stand	
Canopy Bulk Density (kg/m³)	0.35
Canopy Base Height (ft)	6
Basal Area (ft²/ac)	205
Overstory Trees/ac	0

Climatic Variable Details

Weather and fuel moistures taken from cedar ridge RAWS at 1300 hrs using NFDRS2016. Onsite wind was collected from an anemometer. ERC and BI are scores, not percentiles.

Site History: n/a

Fire Behavior

Fire Behavior	
Primary Fire Type	Surface
Secondary Fire Type	Single torching
ROS - sensor source (ch/hr) (min/max/avg)	No data
ROS - video interp. (ch/hr) (min/max/avg.	1/1/1
Flame Length (ft) (min/max/av	g) 1/10/2
Direction Fire Spread is going (azimuth)	10

Fire Video	Description
n/a	n/a
n/a	n/a
n/a	n/a

<u>Fire management actions affecting plot:</u>
Understory treated during incident for burnout. Plot burned in area of burnout.




Fire Effects

Fire Severity	
Substrate Score (1-5)	3.0
Understory Veg Score (1-5)	3.4
Avg % tree canopy scorch	72
Avg % tree canopy torch	28
Avg tree bole char (ft)	No data

Severity category definitions: 1= unburned, 2=low, 3=moderate, 4=high, 5=very high

Fuel Consumption	%
1-hour	100
10-hour	100
100-hour	100
1000-hour	70
Litter	26
Duff	100



About the Fire Behavior Assessment Team (FBAT)

Abstract

Despite the scope of the US wildfire problem, capabilities for monitoring active wildfires to answer pressing questions about fire behavior and personnel safety are severely limited. The **Fire Behavior Assessment Team (FBAT)** is the only team currently collecting <u>applied science</u> <u>data on active wildfires</u>. FBAT functions in collaboration with land managers and interested research groups. In coordination with incident management, sites are placed opportunistically ahead of the fire accounting for current and expected fire behavior, safe access, and fire management tactics.

FBAT can collect standard weather, fire behavior and fire severity observations as well as set up dataloggers which store wind speed, direction, temperature and RH. FBAT can also take plot data which includes:

- Heat resistant fire behavior equipment left on-site (video camera, 5-foot anemometer, sensor array for rate of spread/temperature profile through time, heat flux sensor).
- Fuels data collected on canopy, surface and ground fuels before and after the fire, and fire severity assessment post-fire. Fuel moisture data is often collected prior to the fire.

More information about methods and data can be found on the FBAT website: https://www.frames.gov/fbat/home

The report for this fire which includes field methods and other background can be found at: https://www.fs.fed.us/adaptivemanagement/reports/fbat/2015RoughFire_FBAT_Summary_Final_2Mar2016.pdf